

MoliCare® Pad Weight Test

Facility:

Resident:

Bed No.:

Continence Product ☀️ :

Continence Product 🌙 :

Incontinence Associated Dermatitis (IAD): ☐ Yes ☐ No

1. Chart for 3 continuous days.
2. Before application of continence pad, weigh the pad and record the result.

3. After removal of the continence pad, weigh the pad and record the result.
4. Calculate total volume by subtracting the dry weight from the wet weight.

Day 1: / /

Day 2: / /

Day 3: / /

	Time	Dry weight of pad (grams)	Wet weight of pad (grams)	Pad Weight (Wet weight - Dry weight)
☀️ DAY	AM			
	AM			
	AM			
	AM			
	AM			
	AM			
🌙 NIGHT	PM			
	PM			
	PM			
	PM			
	PM			
	PM			

	Time	Dry weight of pad (grams)	Wet weight of pad (grams)	Pad Weight (Wet weight - Dry weight)
	AM			
	AM			
	AM			
	AM			
	AM			
	AM			
	PM			
	PM			
	PM			
	PM			
	PM			
	PM			

	Time	Dry weight of pad (grams)	Wet weight of pad (grams)	Pad Weight (Wet weight - Dry weight)
	AM			
	AM			
	AM			
	AM			
	AM			
	AM			
	PM			
	PM			
	PM			
	PM			
	PM			
	PM			